


To: Carolyn Casey/R1/USEPA/US@EPA CC:

Subject: RE: MacDermid





RDMS DocID

Hi Carolyn--

I will have a copy of the EIDs sent to you next week and will include you on the cc list for future correspondence/documents you requested below. Also, just FYI, my direct phone extension has changed. Its now 860-410-2941. Have a good weekend.

Kimberly M. Clarke Project Manager Loureiro Engineering Associates, Inc. -an employee owned company-100 Northwest Drive Plainville, CT 06062 Phone: (860) 747-6181 Fax: (860) 747-8822

email: kmclarke@loureiro.com

website: www.loureiroengineering.com

The information contained in this electronic file or files is for convenience of use only. Loureiro Engineering Associates, Inc. (LEA) is not responsible for the data contained herein or for any computational programming contained herein. LEA's responsibility extends solely to original "Hard Copy" mapping and documents prepared by LEA. LEA is not responsible for the use or manipulation of information contained in this electronic file or files by others, or the use of this information in conjunction with other software programs. It is the responsibility of the user of this electronic file or files and any future users of this information to verify its accuracy.

----Original Message----

From: Casey.Carolyn@epamail.epa.gov [mailto:Casey.Carolyn@epamail.epa.gov]

Sent: Friday, January 10, 2003 2:44 PM

To: kmclarke@loureiro.com

Subject: MacDermid

Hi Kim, wanted to let you know that I would appreciate getting copied on all RCRA Corrective Action, closure, and property transfer documentation until further notice. That could be one of the following: when the EIs are determined by EPA to be met, when EPA and the state determine who should take the lead oversight role and /or at property transfer.

Also, could you send me a second copy of the EI determinations. I will be sending a copy to our contractor for review and want to make sure I also have a copy on hand.

Thanks Have a nice weekend Carolyn